

MODEL No. Bell 412  
 AIRFRAME SERIAL NO. 36201  
 REGISTRATION: N412AT

DATE 30-Oct-09  
 A/F HOURS 5777.6  
 TOTAL RINS 46417

COMPONENT NAME	PART NUMBER	SERIAL NO.	INSTALLATION DATA			CURRENT		SCHEDULED REMOVAL		
			ACFT HRS	COMP TT	COMP TSO	TOTAL TIME	HRS REM.	MAINT. REQ'D	LIFE LIMIT	AC HOURS
M/R Hub Assy	412-010-100-217	A-1531	5760.4	5757.5	0.0	17.2	2482.8	INSP	2500	8243.2
Yoke Assy	412-010-101-129	A-3271	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Yoke Assy	412-010-101-129	A-3272	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Pitch Horn	412-010-149-111	A-3673	5760.4	5756.7	0.0	5773.9	4226.1	RET	10000	9986.5
Pitch Horn	412-010-149-111	A-3693	5760.4	6038.8	0.0	6056.0	3944.0	RET	10000	9704.4
Pitch Horn	412-010-149-111	A-5494	5760.4	0.0	0.0	17.2	9982.8	RET	10000	15743.2
Pitch Horn	412-010-149-111	A-3686	5760.4	6571.5	0.0	6588.7	3411.3	RET	10000	9171.7
Spindle & Damper Assy	412-010-190-105	LK-251	5760.4	0.0	0.0	17.2	9982.8	RET	10000	15743.2
Spindle & Damper Assy	412-010-190-105	DN 66	5760.4	5352.6	0.0	5369.8	4630.2	RET	10000	10390.6
Spindle & Damper Assy	412-010-190-105	A-4019	5760.4	6517.5	0.0	6534.7	3465.3	RET	10000	9225.7
Spindle & Damper Assy	412-010-190-105	A-4020	5760.4	6038.8	0.0	6056.0	3944.0	RET	10000	9704.4
Bolt (Expand)	412-010-137-103	SL 6035	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Bolt (Expand)	412-010-137-103	SL 6033	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Bolt (Expand)	412-010-137-103	SL 6036	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Bolt (Expand)	412-010-137-103	SL 6224	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Bolt Retention	412-010-124-109	A-6616	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Bolt Retention	412-010-124-109	A-6640	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Bolt Retention	412-010-124-109	A-6692	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Bolt Retention	412-010-124-109	A-6693	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Fitting	412-010-111-103	A-4576	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Fitting	412-010-111-103	A-4577	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Fitting	412-010-111-103	A-4578	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Fitting	412-010-111-103	A-4579	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Drive Pin	412-010-166-101	AX 983134	5760.4	761.1	0.0	778.3	9221.7	RET	10000	14982.1
Drive Pin	412-010-166-101	DI 2991	5760.4	761.1	0.0	778.3	9221.7	RET	10000	14982.1
Drive Pin	412-010-166-101	DI 2796	5760.4	761.1	0.0	778.3	9221.7	RET	10000	14982.1
Drive Pin	412-010-166-101	DI 2835	5760.4	761.1	0.0	778.3	9221.7	RET	10000	14982.1
Drive Pin	412-010-166-101	DI 2881	5760.4	761.1	0.0	778.3	9221.7	RET	10000	14982.1
Drive Pin	412-010-166-101	AX 984	5760.4	0.0	0.0	17.2	9982.8	RET	10000	15743.2
Drive Pin	412-010-166-101	DI 2960	5760.4	761.1	0.0	778.3	9221.7	RET	10000	14982.1
Drive Pin	412-010-166-101	DI 2888	5760.4	761.1	0.0	778.3	9221.7	RET	10000	14982.1
Bracket	412-010-264-105	A-3828	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
Bracket	412-010-264-105	A-3916	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
Bracket	412-010-264-105	A-3960	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
Bracket	412-010-264-105	A-3913	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
Bracket	412-010-264-105	A-3937	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
Bracket	412-010-264-105	A-3942	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
Bracket	412-010-264-105	A-3891	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
Bracket	412-010-264-105	A-3932	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7

MODEL No. Bell 412  
 AIRFRAME SERIAL NO. 36201  
 REGISTRATION: N412AT

DATE 30-Oct-09  
 A/F HOURS 5777.6  
 TOTAL RINS 46417

COMPONENT NAME	PART NUMBER	SERIAL NO.	INSTALLATION DATA			CURRENT		SCHEDULED REMOVAL		
			ACFT HRS	COMP TT	COMP TSO	TOTAL TIME	HRS REM.	MAINT. REQ'D	LIFE LIMIT	AC HOURS
Arm Assy	412-010-263-101	A-7061	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Arm Assy	412-010-263-101	A-7054	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Arm Assy	412-010-263-101	A-7055	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Arm Assy	412-010-263-101	A-7051	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Arm Assy	412-010-263-101	A-7058	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Arm Assy	412-010-263-101	A-7062	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Arm Assy	412-010-263-101	A-7089	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Arm Assy	412-010-263-101	A-7085	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Cap Assy	412-010-171-103	TI-160	5760.4	0.0	0.0	17.2	9982.8	RET	10000	15743.2
Upper Cone	412-010-165-101	A-658	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
Lower Cone	412-010-179-105	A-863	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
Damper Bridge (LWR)	412-010-170-105	A-2640	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
	<b>Calendar Time</b>		39448.0	103 Mo				RET	180 Mo	Jun-2014
Damper Bridge (LWR)	412-010-170-105	A-4681	5760.4	0.0	0.0	17.2	9982.8	RET	10000	15743.2
	<b>Calendar Time</b>		39448.0	0 Mo				RET	180 Mo	Jan-2023
Damper Bridge (LWR)	412-010-170-105	A-2651	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
	<b>Calendar Time</b>		39448.0	103 Mo				RET	180 Mo	Jun-2014
Damper Bridge (LWR)	412-010-170-105	A-2648	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
	<b>Calendar Time</b>		39448.0	103 Mo				RET	180 Mo	Jun-2014
Damper Bridge (UPR)	412-010-185-109	A-1931	5760.4	5757.5	0.0	5774.7	9225.3	RET	15000	14985.7
Damper Bridge (UPR)	412-010-185-109	A 910	5760.4	0.0	0.0	17.2		RET	15000	5760.4
Damper Bridge (UPR)	412-010-185-109	A-1939	5760.4	5757.5	0.0	5774.7	9225.3	RET	15000	14985.7
Damper Bridge (UPR)	412-010-185-109	A-1950	5760.4	5757.5	0.0	5774.7	9225.3	RET	15000	14985.7
Spline Plate	412-010-177-117	A-869	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
	<b>RINS</b>		46411.0	42234.0		42240.0	17760.0	RIN	60000	64171.0
Upper Cone Seat	412-010-186-103	A-1001	5760.4	0.0	0.0	17.2	9982.8	RET	10000	15743.2
Lower Cone Seat	412-018-056-105	A-1655	5760.4	0.0	0.0	17.2	9982.8	RET	10000	15743.2
M/R Blade	412-015-300-109	A-2723	5760.4	8260.1	0.0	17.2	2482.8	INSP	2500	8243.2
M/R Blade	412-015-300-109	A-2753	5760.4	8260.1	0.0	17.2	2482.8	INSP	2500	8243.2
M/R Blade	412-015-300-109	A-2751	5760.4	8260.1	0.0	17.2	2482.8	INSP	2500	8243.2
M/R Blade	412-015-300-109	A-2714	5760.4	8260.1	0.0	17.2	2482.8	INSP	2500	8243.2
Pitch Link Assy	412-010-425-133	VA 200091	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Pitch Link Assy	412-010-425-133	VA 200091	5760.4	0.0	0.0	17.2	2482.8	INSP	2500	8243.2
Bearing Assy	412-010-182-101	NH 14530	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Tube Assy	412-010-425-113	VA 200061	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Rod End Assy	412-310-400-101	NH 14081	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Pitch Link Assy	412-010-425-133	VA 200103	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Pitch Link Assy	412-010-425-133	VA 200103	5760.4	0.0	0.0	17.2	2482.8	INSP	2500	8243.2
Bearing Assy	412-010-182-101	NH 14756	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2

MODEL No. Bell 412  
 AIRFRAME SERIAL NO. 36201  
 REGISTRATION: N412AT

DATE 30-Oct-09  
 A/F HOURS 5777.6  
 TOTAL RINS 46417

COMPONENT NAME	PART NUMBER	SERIAL NO.	INSTALLATION DATA			CURRENT	SCHEDULED REMOVAL			
			ACFT HRS	COMP TT	COMP TSO	TOTAL TIME	HRS REM.	MAINT. REQ'D	LIFE LIMIT	AC HOURS
Tube Assy	412-010-425-113	VA 200073	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Rod End Assy	412-310-400-101	NH 14247	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Pitch Link Assy	412-010-425-135	VA 200357	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Pitch Link Assy	412-010-425-135	VA 200357	5760.4	0.0	0.0	17.2	2482.8	INSP	2500	8243.2
Bearing Assy	412-010-182-101	NH 14708	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Tube Assy	412-010-425-129	VA 200347	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Rod End Assy	412-310-400-101	NH 14148	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Pitch Link Assy	412-010-425-135	VA 200356	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Pitch Link Assy	412-010-425-135	VA 200356	5760.4	0.0	0.0	17.2	2482.8	INSP	2500	8243.2
Bearing Assy	412-010-182-101	NH-14680	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Tube Assy	412-010-425-129	VA200346	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Rod End Assy	412-310-400-101	NH-14187	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Swashplate Assy	412-010-402-111	RE714	5760.4	5757.5	0.0	17.2	2482.8	O/H	2500	8243.2
Outer Ring	412-010-407-117	RE936	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
Support	412-010-453-105	RE1150	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Gimbal Ring	204-010-404-001	REFS2644	5760.4	761.1	0.0	778.3	8221.7	RET	9000	13982.1
Bolt	204-011-463-109	AIFS47297	5760.4	0.0	0.0	17.2	2482.8	RET	2500	8243.2
Bolt	204-011-463-109	AIFS47208	5760.4	0.0	0.0	17.2	2482.8	RET	2500	8243.2
Bolt	204-011-463-105	PB8233	5760.4	0.0	0.0	17.2	2482.8	RET	2500	8243.2
Bolt	204-011-463-105	PB8119	5760.4	0.0	0.0	17.2	2482.8	RET	2500	8243.2
Collective Lever	412-010-408-101	A-1194	5760.4	0.0	0.0	17.2	9982.8	RET	10000	15743.2
Hub & Sleeve Assy	412-010-401-113	A-553	5760.4	5757.5	0.0	17.2	2482.8	O/H	2500	8243.2
Drive Hub	412-010-445-105	A-736	5760.4	5757.5	0.0	5774.7	4225.3	RET	10000	9985.7
Rephasing Lever	412-010-403-113	A-4144	5760.4	3261.2	0.0	3278.4	1721.6	RET	5000	7482.0
Rephasing Lever	412-010-403-113	A-4103	5760.4	3261.2	0.0	3278.4	1721.6	RET	5000	7482.0
Rephasing Lever	412-010-403-117	A-4120	5760.4	3261.2	0.0	3278.4	1721.6	RET	5000	7482.0
Rephasing Lever	412-010-403-117	A-4074	5760.4	3261.2	0.0	3278.4	1721.6	RET	5000	7482.0
Drive Link	412-010-405-111	A-3760	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Drive Link	412-010-405-111	A-3721	5760.4	761.1	0.0	778.3	4221.7	RET	5000	9982.1
Collective Sleeve	204-011-408-107	HBFS 249	5760.4	0.0	0.0	17.2	8982.8	RET	9000	14743.2
Link Assy	412-010-406-115	A-3279	5760.4	3261.2	0.0	3278.4	1721.6	RET	5000	7482.0
Link Assy	412-010-406-115	A-3312	5760.4	3261.2	0.0	3278.4	1721.6	RET	5000	7482.0
Rod End Bearing	412-310-400-103	NH32589	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Rod End Bearing	412-310-400-103	NH32576	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Rod End Bearing	412-310-400-105	NH5314	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
Rod End Bearing	412-310-400-105	NH5280	5760.4	0.0	0.0	17.2	4982.8	RET	5000	10743.2
M/R Mast Assy	412-040-366-113	A-448	5760.4	8277.3	0.0	17.2	4982.8	O/H	5000	10743.2
	<b>RINS</b>		46411.0	37201.0	0.0	37207.0		RIN	O/C	O/C
M/R Mast Pole	412-040-101-129A	A-875	5760.4	0.0	0.0	17.2	9982.8	RET	10000	15743.2

MODEL No. Bell 412  
 AIRFRAME SERIAL NO. 36201  
 REGISTRATION: N412AT

DATE 30-Oct-09  
 A/F HOURS 5777.6  
 TOTAL RINS 46417

COMPONENT NAME	PART NUMBER	SERIAL NO.	INSTALLATION DATA			CURRENT		SCHEDULED REMOVAL		
			ACFT HRS	COMP TT	COMP TSO	TOTAL TIME	HRS REM.	MAINT. REQ'D	LIFE LIMIT	AC HOURS
	<b>RINS</b>		46411.0	0.0	0.0	6.0	59994.0	RIN	60000	106405.0
Transmission Assy	412-040-004-109	A-354	5760.4	6168.1	0.0	17.2	4982.8	O/H	5000	10743.2
Transmission Assy	412-040-004-109	A-354	5760.4	6168.1	0.0	17.2	2482.8	INSP	2500	8243.2
Main Driveshaft	412-040-005-103	A-378	5760.4	6323.1	0.0	17.2	2982.8	O/H	3000	8743.2
Hanger Assy	412-040-600-103	A-1292	5760.4	5759.9	0.0	17.2	4982.8	O/H	5000	10743.2
Hanger Assy	412-040-600-103	A-1334	5760.4	5754.4	0.0	17.2	4982.8	O/H	5000	10743.2
Hanger Assy	412-040-600-103	A-1172	5760.4	7267.9	0.0	17.2	4982.8	O/H	5000	10743.2
Coupling	412-040-601-107	A-983	5760.4	5710.8	0.0	17.2	4982.8	O/H	5000	10743.2
T/R Driveshaft Coupling	412-040-601-101	A-862	5760.4	5713.3	0.0	17.2	49982.8	O/H	50000	55743.2
Driveshaft Assy	412-040-620-101	A-798	5760.4	0.0	0.0	17.2		O/C		O/C
Driveshaft Assy	412-040-621-107	A-2074	5760.4	5628.5	0.0	5645.7		O/C		O/C
Driveshaft Assy	412-040-621-107	A-2087	5760.4	unk				O/C		O/C
Driveshaft Assy	412-040-621-107	A-2008	5760.4	5628.6	0.0	5645.8		O/C		O/C
Driveshaft Assy	412-040-621-105	A-1909	5760.4	5628.6	0.0	5645.8		O/C		O/C
Driveshaft Assy	412-040-620-103	A-978	5760.4	5628.5	0.0	5645.7		O/C		O/C
42° Gearbox	412-040-006-101	A-344	5760.4	5756.7	0.0	17.2	4982.8	O/H	5000	10743.2
90° Gearbox	212-040-004-103	A2242	5760.4	141.1	0.0	17.2	4982.8	O/H	5000	10743.2
T/R Assy	212-010-701-003		5760.4	unk	0.0	17.2	2482.8	O/H	2500	8243.2
T/R Yoke Assy			5777.6	0.0	0.0	0.0	5000.0	RET	5000	10777.6
T/R Blade	212-010-750-133	A-16463	5760.4	0.0		17.2	4982.8	RET	5000	10743.2
T/R Blade	212-010-750-133	A-16587	5760.4	0.0		17.2	4982.8	RET	5000	10743.2
Idler	209-011-711-001	NSN	5760.4	5756.7	0.0	17.2	2482.8	O/H	2500	8243.2
Lever Assy	209-011-712-101	NSN	5760.4	unk	0.0	17.2	2482.8	O/H	2500	8243.2
Link Assy	209-011-713-003	NSN	5760.4	unk	0.0	17.2	2482.8	O/H	2500	8243.2
Nut	212-010-706-001	DIFS 154	5760.4	0.0	0.0	17.2	2482.8	O/H	2500	8243.2
Crosshead	212-010-775-001	MWFS 1456	5760.4	0.0	0.0	17.2	2482.8	O/H	2500	8243.2
Hydraulic Cylinder Assy	212-076-005-111	HR10768H	5760.4	760.9	0.0	17.2	2482.8	O/H	2500	8243.2
Hydraulic Cylinder Assy	212-076-005-111	HR10570H	5760.4	760.9	0.0	17.2	2482.8	O/H	2500	8243.2
Hydraulic Cylinder Assy	212-076-005-111	HR9885H	5760.4	4000.3	0.0	17.2	2482.8	O/H	2500	8243.2
Antitorque Servo Assy	212-076-004-101	HR2755	5760.4	unk	0.0	17.2		O/C		O/C
Hydraulic Pump	212-076-011-101	AU30-D10314F	5760.4	unk	0.0	17.2		O/C		O/C
Hydraulic Pump	PV3-044-8A	MX-459498	5760.4	unk	0.0	17.2		O/C		O/C
Starter Generator	209-060-221-001	Y30052	5760.4	unk	0.0	17.2	982.8	O/H	1000	6743.2
Starter Generator	200SG119Q	1261XL	5760.4	unk	0.0	17.2	982.8	O/H	1000	6743.2
M/R Control System Bolts	Various	Various	5760.4	0.0		17.2	2482.8	RET	2500	8243.2
Oil Cooler Blower	209-062-502-101	5100-99050-01	5760.4	unk	0.0	17.2		O/C		O/C
Oil Cooler Blower	209-062-502-101	5100-98175-07	5760.4	unk	0.0	17.2		O/C		O/C
Fire Extinguisher	209-062-908-001	03059B2	Mar-2008	unk	8 Mo			O/H	60 Mo	Jul-2012
Fire Ext. Cartridge	13083-5	ESD07A187-001	Mar-2008	2 Mo				RET	72 Mo	Jan-2013

**MODEL No.** Bell 412  
**AIRFRAME SERIAL NO.** 36201  
**REGISTRATION:** N412AT

**DATE** 30-Oct-09  
**A/F HOURS** 5777.6  
**TOTAL RINS** 46417

COMPONENT NAME	PART NUMBER	SERIAL NO.	INSTALLATION DATA			CURRENT		SCHEDULED REMOVAL		
			ACFT HRS	COMP TT	COMP TSO	TOTAL TIME	HRS REM.	MAINT. REQ'D	LIFE LIMIT	AC HOURS
Fire Ext. Cartridge	30900400	ESD05K066-001	Mar-2008	23 Mo				RET	72 Mo	Apr-2012
Fire Extinguisher	209-062-908-001	B4899	Mar-2008	unk	9 Mo			O/H	60 Mo	Jun-2012
Fire Ext. Cartridge	AE13083-5	AEN1-100	Mar-2008	6 Mo				RET	72 Mo	Sep-2012
Fire Ext. Cartridge	AE30900400	AEN1-15	Mar-2008	11 Mo				RET	72 Mo	Feb-2012
Cabin Fire Extinguisher	B417	ZA-253423	Mar-2008	0.0				INSP	12 Mo	Mar-2009
Cabin Fire Extinguisher	B417	ZA-254535	Mar-2008	0.0				INSP	12 Mo	Mar-2009
First Aid Kit (Qty 2)	F955BN030	NSN	Mar-2008	0.0				INSP	12Mo	Mar-2009
Reduction Gearbox	PT6T-DF	CP-GB-TJ0131	5760.4	7557.6	0.0	17.2	3982.8	O/H	4000	9743.2
Reduction Gearbox	PT6T-DF	CP-GB-TJ0131	5760.4	7557.6	0.0	17.2	2482.8	INSP	2500	8243.2
Torque Control	3244881-1	C42329	5760.4	unk	0.0	17.2	4482.8	O/H	4500	10243.2
Governor	3244885-2	C45587	5760.4	unk	0.0	17.2	4482.8	O/H	4500	10243.2
Governor	3244885-2	C45417	5760.4	unk	0.0	17.2	4482.8	O/H	4500	10243.2

MODEL No. Bell 412  
 AIRFRAME SERIAL NO. 36201  
 REGISTRATION: N412AT

DATE 30-Oct-09  
 A/F HOURS 5777.6  
 TOTAL RINS 46417

COMPONENT NAME	PART NUMBER	SERIAL NO.	INSTALLATION DATA			CURRENT		SCHEDULED REMOVAL		
			ACFT HRS	COMP TT	COMP TSO	TOTAL TIME	HRS REM.	MAINT. REQ'D	LIFE LIMIT	AC HOURS
Power Section Module	PT6T-3DF	CP-PS-TH0255	5760.4	5971.1	0.0	17.2	3982.8	O/H	4000	9743.2
Automatic Fuel Control	3244883-10	C43922	5760.4	unk	0.0	17.2	5982.8	O/H	6000	11743.2
	<b>Calendar Life</b>		Mar-2008					O/H	72 Mo	Mar-2014
Manual Fuel Control	3244884-3	C44640	5760.4	unk	0.0	17.2	4482.8	O/H	4500	10243.2
Fuel Pump	025277-300-08	PE9891	5760.4	unk	0.0	17.2	4482.8	O/H	4500	10243.2
Trim Compensator	3045478-01	EM0106069	5760.4	0.0	0.0	17.2		O/C		O/C
Exciter Box	10-381550-4	NNA07163050	5760.4	0.0	0.0	17.2		O/C		O/C
Oil to Fuel Heater	10544G	WA18767	5760.4	unk	0.0	17.2	4482.8	O/H	4500	10243.2
Bleed Valve	540-1407-4	3797	5760.4	unk	0.0	17.2		O/C		O/C
Flow Divider & Dump Valve	26425-1	1034	5760.4	unk	0.0	17.2	4482.8	O/H	4500	10243.2
CT Blades	3119871-01	See List	5760.4	0.0		17.2	7982.8	RET	8000	13743.2

COMPONENT NAME	PART NUMBER	SERIAL NO.	INSTALLATION DATA		CYCLE LIMIT	CURRENT	
			CSN	CSO		TOTAL CYCLES	CYCLES REMAINING
Hub	3041255	A0025LPR		0.0	35000.0		35000.0
Comp. STG 2	3040312	A0025E65		0.0	29000		29000.0
Comp. STG 3	3040213	A00251EX		0.0	29000		29000.0
C.T.	3041241	A0026N1K		0.0	7200		7200.0
P.T.	3045622	A002619L		0.0	15000		15000.0
Impeller	3027798	EAAA000C227		0.0	29000		29000.0

MODEL No. Bell 412  
 AIRFRAME SERIAL NO. 36201  
 REGISTRATION: N412AT

DATE 30-Oct-09  
 A/F HOURS 5777.6  
 TOTAL RINS 46417

COMPONENT NAME	PART NUMBER	SERIAL NO.	INSTALLATION DATA			CURRENT		SCHEDULED REMOVAL		
			ACFT HRS	COMP TT	COMP TSO	TOTAL TIME	HRS REM.	MAINT. REQ'D	LIFE LIMIT	AC HOURS
Power Section Module	PT6T-3DF	CP-PS-140032	5760.4	8801.1	0.0	17.2	3982.8	O/H	4000	9743.2
Automatic Fuel Control	3244883-10-9	C43659	5760.4	unk	0.0	17.2	5982.8	O/H	6000	11743.2
	<b>Calendar Life</b>		Mar-2008					O/H	72 Mo	Mar-2014
Manual Fuel Control	3244884-3	C44541	5760.4	unk	0.0	17.2	4482.8	O/H	4500	10243.2
Fuel Pump	025277-300-08	PE5835	5760.4	unk	0.0	17.2	4482.8	O/H	4500	10243.2
Trim Compensator	3045478-01	1R872	5760.4	unk	0.0	17.2	-17.2	O/C		O/C
Exciter Box	10-381550-4	98116617	5760.4	unk	0.0	17.2	-17.2	O/C		O/C
Oil to Fuel Heater	10544G	2047	5760.4	unk	0.0	17.2	4482.8	O/H	4500	10243.2
Bleed Valve	540-1407-4	2994	5760.4	unk	0.0	17.2	-17.2	O/C		O/C
Flow Divider & Dump Valve	26425-1	1119	5760.4	unk	0.0	17.2	4482.8	O/H	4500	10243.2
CT Blades	3119871-01	See List	5760.4	0.0		17.2	7982.8	RET	8000	13743.2

COMPONENT NAME	PART NUMBER	SERIAL NO.	INSTALLATION DATA		CYCLE LIMIT	CURRENT	
			CSN	CSO		TOTAL CYCLES	CYCLES REMAINING
Hub	3041255	A0026DT6		0.0	35000.0		35000.0
Comp. STG 2	3040312	A0028B4W		0.0	29000		29000.0
Comp. STG 3	3040213	A0027HLL		0.0	29000		29000.0
C.T.	3041241	A0029RR7		0.0	7200		7200.0
P.T.	3045622	A00295A6		0.0	15000		15000.0
Impeller	3027798	EAAB000D926		0.0	29000		29000.0